Toyota Powered Pallet Trucks

The BT Levio Range





MATERIAL HANDLING

BT Levio W-series

Pedestrian-operated trucks

BT Levio P-series

Trucks with driver platform



Lightweight and compact design for easy use in congested areas or on-board vehicles

1.3 – 2.5 tonnes load capacities

Travel speed up to 6 km/h

Compact and manoeuvrable trucks with choice of platforms for high speed travel

2.0 – 2.5 tonnes load capacities

Travel speed up to 12.5 km/h

Pages 4-11

BT Levio S-series

Stand-in trucks

BT Levio R-series

Rider-seated trucks



Fully enclosed cab and sideways driving position to work in congested areas

2.0 tonne load capacity

Travel speed up to 10.5 km/h


Pages 16-17



High speed trucks for transportation of multiple loads over long distances

2.0 - 3.0 tonnes load capacities

Travel speed up to 19.9 km/h




TOYOTA BT LEVIO PART OF W-SERIES (SEE PAGE 9 - 11 FOR FULL RANGE)

The BT Levio LWE130 is a robust but extremely lightweight truck that can carry loads with ease over short to medium distances. Weighing just 255 kg, including battery, the LWE130 is exceptionally compact, allowing easy use in a wide variety of applications. This truck is also ideal in confined spaces such as retail environments but also on-board delivery vehicles. The LWE130's low-maintenance and revolutionary AC motor offers great energy efficiency, as well as durability and strength.

SPECIFICATIONS

Load capacity: 1.3 t @ 600 mm load centre Maximum travel speed: 5.5 km/h Maximum battery capacity: 63 Ah Option available: I_Site truck management system







The unique Castorlink system protects castor wheels on uneven surfaces



The control panel includes a pull-out power lead for the built-in battery charger



Easy access for efficient servicing



208° steering

standard ° option

	Safe	Dur	Pro	Driv	BTL
Truck features					
Automatic parking brake					•
Bogie fork wheels					0
Climber wheels					•
BT Castorlink					•
Shock sensor					0
Load support					0
AC drive motors					•

vio LWE130

Controls and instruments

208° steering			•
Access control (PIN codes)			•
Click-2-Creep			•
Electronic braking system			•
Electronic speed control			•
Electronic fingertip controls			•
Hour meter			•
Tiller arm steering			•
Emergency collision button			•
Emergency cut-off			•
Parking brake			•
Temporary speed reduction (turtle button)			0

• standard ° option

	01	ш	뜨	ш	m
Operator features					
Storage compartments					•
Driver-adapted programmable performance					•
Extra foot protection					0

Maintenance features

Easy access for maintenance			•
Fault diagnosis facility			•
Historic fault log			•

Battery management features

Battery status indicator	•
Built-in charger	•
In-vehicle charging	0

Safe and user-friendly operation

For optimal driver comfort, this truck is user-friendly and intuitive thanks to its quieter operation and programmable driver parameters. To ensure safe and efficient material handling, the LWE130 is designed to be compatible with the truck management tool I_Site that monitors both driver authorisation (PIN code) and machine utilisation whilst also detecting possible impacts of your truck in real time.

Unique Castorlink system

Stability is assured with a five-wheel chassis design with linked side castors, protecting the wheels and load and ensuring stability on uneven surfaces.

Easy battery charging

The BT Levio LWE130 features a built-in charger for fast and easy charging- just plug it into a power socket. There is also the option of an in-vehicle charging system for opportunity charging when travelling on delivery vehicles. In-vehicle charging features intelligent control to only operate when the main vehicle engine is running.


TPS-based reliability

Like all Toyota trucks, BT Levio trucks are built according to the Toyota Production System, assuring the highest levels of quality, durability and reliability.

Buy Online, Anytime

A selected range of BT Levio powered pallet trucks are available to buy online direct from Toyota visit **shop.toyota-forklifts.co.uk**

Quick, easy, convenient, delivered straight to your door Pay via credit card or invoice.



TOYOTA BT LEVIO W-SERIES pedestrian-operated trucks

BT Levio W-series are compact trucks with a wide range of load capacities. All models, from 1400 kg to 2500 kg, share the same compact design and are easy to use. With impressive handling capacity, they are suited to all types of application.

SPECIFICATIONS

Load capacity: 1.4, 1.6, 1.8, 2.0, 2.5 t @ 600 mm load centre Maximum travel speed: 6 km/h Maximum battery capacity: 300 Ah Options available: I_Site truck management system







A clear and safe view of the forks



Easy access for efficient servicing



Fingertip control for drive, lift and lower with unique Click-2-Creep feature



Optional LWE load support

standard ° option

	Safe	Dur	Pro	Driv	BTL	BTL	BTL	BTL	BT I
Truck features									
Automatic parking brake					•	•	•	•	•
Bogie fork wheels					0	0	0	0	•
BT Powerdrive					•	•	•	•	•
BT Castorlink					•	•	•	•	•
Climber wheels					0	0	0	0	0
High-capacity battery models							0	0	0
Electronic braking system					•	•	•	•	•
Electronic regenerative brakes (motor)					•	•	•	•	•
Electronic speed control					•	•	•	•	•
Load support					0	0	0	0	0

Controls and instruments

	_	_	_			_		_
180°+ steering				٠	•	•	•	•
Access control (PIN codes)				•	•	•	•	•
Automatic deceleration				٠	•	•	•	•
Click-2-Creep				٠	•	•	•	•
Drive motor temperature warning				٠	•	•	•	•
E-bar				0	0	0	0	0
Electronic controller temperature warning				•	•	•	•	•
Electronic fingertip controls				٠	•	•	•	•
Emergency collision button				•	•	•	•	•
Emergency cut-off				•	•	•	•	•
Hour meter				•	•	•	•	•
On-board data terminal mount				0	0	0	0	0
Parking brake				•	•	•	•	•
Smart access (electronic card/fob)				0	0	0	0	0
Temporary speed reduction ('turtle' button)				0	0	0	0	0
Tiller arm steering				•	•	•	•	•

Operator features

Driver-adapted programmable performance			•	•	•	•	•
Flip-down driver platform						0	
Shrinkwrap holder				0	0	0	0
Storage compartments			•	•	•	•	•
Writing table				0	0	0	0
Weighing scale			0	0	0	0	0

• standard ° option

Maintenance features						
Easy access for maintenance		•	•	•	•	•
Fault diagnosis facility		•	•	•	•	•
Historic fault log		•	•	•	•	•

BT BT BT BT BT

Battery management features

Battery status indicator		•	•	•	٠	•
Battery discharge prevention system		•	•	•	•	•
Built-in charger		0	0	0	0	0
Lithium-ion batteries					0	
Sideways battery change					0	0

Special applications

Sheerer abburgeree							
Coldstore version			0	0	0	0	0
EEx version (ATEX compliant)			0	0	0	0	0
Reel/drum handling			0	0	0	0	0
Silent version						0	

Handling with care – just Click-2-Creep

Finite positioning is easy with these BT Levio W-series trucks. The unique Click-2-Creep feature means that by simply double-clicking the control lever the truck is set to creep speed, allowing safe control in tight situations.

Totalview concept

The optimised length of the control arm combined with the low overall height of the truck means you always get a clear and safe view of the forks.

Li-ion battery technology

The latest maintenance-free Li-ion battery technology is available on the LWE200, with 30% less energy consumption. It gives exceptional battery life and the option for fast-charge at any time, revolutionising battery management and eliminating the need for battery change in multi-shift applications.

TPS-based reliability

Like all Toyota trucks, BT Levio trucks are built according to the Toyota Production System, assuring the highest levels of quality, durability and reliability.

Buy Online, Anytime

A selected range of BT Levio powered pallet trucks are available to buy online direct from Toyota visit **shop.toyota-forklifts.co.uk**

Quick, easy, convenient, delivered straight to your door Pay via credit card or invoice.



TOYOTA BT LEVIO P-SERIES trucks with driver platform


The BT Levio P-series range has a compact design but offers capacities of up to 2500 kg. The result is an extremely manoeuvrable range of trucks with the smallest turning radius in their class combined with the highest maximum speed, at up to 12.5 km/h, for outstanding productivity.

SPECIFICATIONS

Load capacity: 2.0, 2.2, 2.5 t @ 600 mm load centre Maximum travel speed: 12.5 km/h Maximum battery capacity: 600 Ah Options available: I_Site truck management system







The height of the steering arm can be adjusted at the touch of a button



A clear view of the forks from the driving position



Optional fixed platform and sideguards



Optional fixed platform and backrest

• standard ° option Truck features Automatic parking brake . . . Bogie fork wheels 0 0 0 Climber skids 0 0 0 Electronic regenerative brakes (motor) . . . Fixed AC motor . . . Fork length dependent steering (OTP) . . . Load support 0 0 0 Powertrak traction system Reduced speed when cornering (OTP) Shock sensor 0 0 Spring-loaded drive wheel Twin castor wheels 0 0 Xenoy exterior covers . . .

Controls and instruments

		•	•	•
		•	•	•
		•	•	•
		•	•	•
		0	0	0
		•	•	•
		•	•	•
		0	0	0
ý	ø	0	0	0
ý		0	0	0
		•	•	•
		•	•	•
		•	•	•

Operator features

Adjustable tiller arm height			0	0	0
Configuration dependent tiller arm length			•	•	•
Driver-adapted programmable performance			•	•	•
Driver detection system			•	•	•
Fixed sideguards			0	0	0
Flip-down driver platform			•	•	•
Folding sideguards			•	•	•

*Optimised Truck Performance

• standard ° option

Operator features

operator reatares					
Foot safety photocell			0	0	0
One-touch folding safety gates			•	•	٠
Rear backrest/guard	÷		0	0	0
Shrinkwrap holder			•	•	•
Storage compartments			•	•	٠
Writing table			0	0	0

LPE200

Maintenance features

Easy access for maintenance		•	•	•
Fault diagnosis facility		٠	•	•
Historic fault log		•	•	•

Battery management features

Battery status indicator		•	•	•
Built-in charger		0		
Lithium-ion batterires		0	0	0
Quick battery locking	ø	0	0	0
Sideways battery change		0	0	0

Special applications

Coldstore platform/driver unit		0	0	0
Corrosive environment version		0		
EEx version (ATEX compliant)		0	0	0

Unique, adapted driver experience

The standard truck has a folding driver platform with 'one-touch' foldable gates. Fixed platform and fixed rear or side guards are options. The height of the steering arm is fully adjustable at the touch of a button, and its length is adapted to suit the application. Optimised Truck Performance adjusts speed when cornering and according to load length, direction of travel, and if pedestrian-operated. Effortless electronic steering is an option.

Totalview concept

The BT Levio P-series range fully complies with ISO 13564-1:2012 to ensure a clear view of the forks from the driving position.

Li-ion battery technology

The latest maintenance-free Li-ion battery technology is available on BT Levio P-series models, with 30% less energy consumption. Giving exceptional battery life and the option for fast-charging at any time it revolutionises battery management and eliminates the need for battery change in multi-shift applications.

Quiet operation

The BT Levio P-series has a very low noise level, and is the quietest truck in its class.


TPS-based reliability

Like all Toyota trucks, BT Levio P-series trucks are built according to the Toyota Production System, assuring the highest levels of quality, durability and reliability.

Buy Online, Anytime

A selected range of BT Levio powered pallet trucks are available to buy online direct from Toyota visit **shop.toyota-forklifts.co.uk**

Quick, easy, convenient, delivered straight to your door Pay via credit card or invoice.




TOYOTA BT LEVIO S-SERIES stand-in trucks

BT Levio S-series models are small and manoeuvrable. A fully enclosed stand-in cab gives maximum driver protection, whilst retaining a compact overall size to allow maximum manoeuvrability in congested and busy areas.

SPECIFICATIONS

Load capacity: 2.0 t @ 600 mm load centre Maximum travel speed: 10.5km/h Maximum battery capacity: 620 Ah Options available: I_Site truck management system



Easy driving with small electronic steering wheel



The driver is fully protected within the cab

• standard ° option

01	-		ш
			•
			•
			•
			•
			•

Controls and instruments

Automatic deceleration		•
Electronic fingertip controls		•
Emergency cut-off		•
Hour meter		٠
Power/Electronic steering		٠

Operator features

Adjustable backrest			•
Driver detection system			•
Low step-in			•
Storage compartments			•
Writing table			0

Maintenance features

Easy access for maintenance			•

Battery management features

Battery status indicator			•
Sideways battery change			0

Special applications

EEx version (ATEX compliant)				0
------------------------------	--	--	--	---

Sideways driving position for longer distance travel

The driver stands sideways in the cab, which allows easy driving in either travel direction, making this truck ideal for operations where the truck is continuously travelling backwards and forwards. An optional 45° driving position is also available as an option.

TPS-based reliability

Like all Toyota trucks, BT Levio S-series trucks are built according to the Toyota Production System, assuring the highest levels of quality, durability and reliability.



TOYOTA BT LEVIO R-SERIES rider-seated trucks

Designed and built for high-speed transportation of multiple loads, and with load capacities of up to 3000 kg and travel speeds up to 19.9 km/h the BT Levio R-series provides effective longer distance transportation. Long fork options mean that multiple loads can be carried, creating a highly efficient and productive solution.

SPECIFICATIONS

Load capacity: 2.0, 3.0 t @ 600 mm load centre Maximum travel speed: 19.9km/h Maximum battery capacity: 840 Ah Options available: I_Site truck management system



The cab and controls are fully adjustable to suit the driver



Optional E-bar for ancillary equipment

• standard ° option

	S	٩	Ē	Ē	m
Truck features					
Automatic parking brake			٠	٠	٠
Bogie fork wheels			•	٠	•
Clear-view overhead guard			0		
Electronic braking system			•	٠	•
High performance models				٠	•
Load support			0		
Twin drive tyres					•

LRE300 LRE300⁻

evio LRE200

Controls and instruments

360° progressive steering				٠	•
Automatic deceleration			•	٠	•
E-bar			0	0	0
Emergency cut-off			٠	٠	•
Hour meter			٠	٠	•
Car pedal layout			•	•	•
Power/Electronic steering			•	٠	•
On-board data terminal mount			0	0	0
Steering direction indicator				٠	•

Operator features

Adjustable seat			٠	•	•
Adjustable steering wheel			•	•	•
Driver detection system			•	•	•
Writing table			0	0	0

Maintenance features

Easy access for maintenance			•	•	•	
Historic fault log			•	•	•	

Battery management features

Battery status indicator			•	
Sideways battery change			0	

Special applications

Coldstore version		0		
EEx version (ATEX compliant)		0	0	0

High-level cushioned driving position

High-speed travel demands a safe driving position and a clear view. The cab on BT Levio R-series trucks is elevated to ensure full all-round visibility, and any floor vibrations caused by high-speed travel are eliminated due to the spring-loaded cab.

Fully adjustable cab and controls

Operations of this type usually involve long periods of driving, so the seat and controls within the cab are fully adjustable to suit the driver.

TPS-based reliability

Like all Toyota trucks, BT Levio P-series trucks are built according to the Toyota Production System, assuring the highest levels of quality, durability and reliability.